

SUN Angle Science Kit

Copyright ©2011



Kidwind Project
800 Transfer Rd
Suite 30B
Saint Paul, MN 55114
www.kidwind.org

This work may not be reproduced by mechanical or electronic means without written permission from KidWind, except for educational uses by teachers in a classroom situation or a teacher training workshop. For permission to copy portions or all of this material for other purposes, such as for inclusion in other documents please contact Michael Arquin at the KidWind Project at michael@kidwind.org.



The production of the kits and other materials related to wind energy have been generously supported by these agencies.




We would like to thank the *Wright Center for Science Education* at Tufts University for giving us the time and space to develop a nugget of an idea into a useful project for hundreds of teachers.

We would also like to thank Trudy Forsyth at *National Wind Technology Center* and Richard Michaud at the *Boston Office of the Department of Energy* for having the vision and foresight to help keep the KidWind Project going! Lastly we would like to thank all the teachers for their keen insights and feedback on making these wind turbine kits and materials first rate!

SUN Angle Science Kit


Kit Contents

- (1) Plastic Box and Lid
- (3) 2 Volt Solar Panels
- (1) Low Voltage Water Pump
- (1) 5 ft. length 1/4" tubing
- (1) 1" length 1/8" tubing
- (1) Digital Multimeter
- (1) Protractor
- (4) Stick-on Velcro Patches
- (1) 6" length of weather-stripping
- (2) Sheets of Corrugated Plastic



Other Useful Items (Not Included):

Scissors or Hobby Knife, Duct tape, Marker.



This kit explores the basics of photovoltaic (PV) solar panels. When installing PV panels, the professionals study the angles of the sun to make sure that the solar panel is tilted to the correct angle. Study how the angle of your solar panels affects the power output, while also experimenting with series and parallel circuits and water pumping applications.

Instructions:

1. Apply the weather-stripping to the inside lip of the lid to ensure it does not slip as you tilt the lid to your desired angle.
2. Secure the solar panels to the lid of the box. Peel off the adhesive backing of the "hook & loop" fastener and apply one piece to the back of each solar panel. Apply the corresponding pieces of fastener to the box lid, spacing them evenly and allowing room for all three panels.
3. Once the panels are secured, you can use the plastic sheet to hold the lid open. Use the protractor to measure the angle of the lid in relation to the rest of the box. The plastic can be cut or moved to adjust the box angle.
4. Hook the multimeter to one of the solar panels (see page 5 for more on wiring your solar panels). Secure the lid with the dowel such that the panels are pointed at the sun. Remember not to look directly at the sun!
5. Gradually open the lid more. As you do so, measure the voltage from the solar panel. The voltage should gradually increase, hit a maximum, then gradually decrease. The maximum voltage indicates the point at which the solar panel (and lid) is most directly pointed at the sun. Use the protractor to measure the lid's angle.
6. Compare your measured solar-angle with charts based on geographic location and time of year (<http://solardat.uoregon.edu/SunChartProgram.html>).

NOTE: With solar panels, the **voltage** is somewhat sensitive to how directly the panel points at the sun. The total **power output** is even *more* sensitive to the angle toward the sun. If you want to see a larger difference with this experiment, hook an electrical load (like the water pump) to the solar panel, and measure the amps (or calculate the watts) as you change the angle.

Setting The Box Angle:

You can use predetermined angles and test which provides the highest output. Using the protractor, set the box lid to angles of 20 degrees, 30 degrees, 40 degrees, or any measurements you choose. Of these angles, measure which one supplies the highest voltage. Assume the angle with the highest voltage is the angle most directly pointed at the sun, and conduct the rest of your experiments at that angle.

Another method is to cut a triangle from the corrugated plastic sheet included in your kit. This triangle will be used to hold the box lid open at preset angles during your experiments. Select three angles that work best for your experiments and open the box to these angles using the protractor. Determine how tall your triangle stand needs to be to hold the box at each angle. You will end up with a triangle with sides of three different lengths, each corresponding to a specific box angle.


NOTE: The relative angle between the sun and the solar panel will change during the day as the sun moves. You may need to re-measure the angle as time passes.

Wiring Your Solar Panels:

The solar panels can be wired in a **series** or **parallel** circuit.

Series:


In a series circuit, the voltage (Volts) will increase with each additional panel, but the current will stay the same. To connect your panels in series, daisy-chain the panels, from the red (+) wire from one panel to the black (-) wire of the next and so on.



Try measuring the voltage of one solar panel. Next, connect two solar panels in series and measure voltage. Then connect three solar panels in series and measure the voltage. Using your multimeter, you should see the total voltage increase as you add panels to the series.

Parallel:

If you wire the panels in parallel, the current (Amps) will increase with each additional panel, but the voltage will not change. To connect your panels in parallel, connect all the red (+) wires together and all the black (-) wires together.



Experiments:

Water Pump Experiments:

Start by filling a large cup or bowl with water. Attach the provided tubing to the water pump, then connect the wires from one solar panel to the wires on the pump. Submerge the pump in the water and point the solar panel at the sun. Hold the tubing straight up and down and measure how high the water rises in the tubing.

Now connect two solar panels wired in series and repeat the water pump experiment. How high does the water rise using two panels in series? Repeat the experiment using all three solar panels wired in series.


NOTE: There is a correct direction of rotation for the water pump - it will pump water higher when it is wired with the correct polarity. If you're not sure which is the correct wiring, reverse the polarity and see if the water rises higher or lower in the tube. Choose the polarity that pumps the highest.

Now that you have experimented with panels in series, try pumping water with panels in parallel wiring. Wire two panels in parallel and connect them to the water pump. Measure how high the water rises in the tube. Repeat the experiment using all three solar panels wired in parallel.

Based on the results, do you think that the performance or efficiency of the water pump is affected more by voltage or by amperage?

You can also measure the volume of water pumped instead of how high the water rises in the tube. Set up the water pump so that it flows from your bowl into a measuring cup (1 or 2 cups). Your bowl and the measuring cup should be at the same height. Using a stopwatch, time how long it takes to fill the measuring cup using the water pump powered by solar panels. Which circuit arrangement pumps water faster—series or parallel?

You can also use the 1" section of 1/8" diameter tubing to make a more dramatic "fountain." Cut 1" off of the 5 foot, 1/4" tubing and insert it on the water pump spout. Now place the thinner tubing inside the 1/4" tubing to constrict the flow. This will make the water squirt higher! Spray your friends with solar power!



The Sun has WAY more power than a light bulb, so experiment with your solar boat outside on a sunny day whenever possible. On a clear, sunny day, the average solar energy received by the earth is about 1,000 Watts per square meter. That means you would have to fit ten 100 Watt light bulbs in a 3 foot x 3 foot square to even come close to the power you can get from the sun!

Other Experiments:

Here are some other interesting experiments to try:

1. Compare the results from the experiments above on a cloudy day vs. a sunny day.
2. Place a colored filter or shade over a solar panel and see how the voltage is affected. You can also do this inside a classroom using different colored slides from an overhead or LCD projector as your light source.
3. Compare the power of a solar panel from indoor (artificial) light vs. outdoor sunlight.
4. Place one solar panel in a refrigerator. Leave one at room temperature, and warm the third in direct sunlight. Place the three solar panels (all at different temperatures) in direct sunlight and measure their output. Which panel provides the highest output? Why?

Full-Day Experiment:


1. At 9:00 am, place your solar box somewhere the sun will shine continuously throughout the day. Make sure the box is level and won't be bothered by the weather or anything else.
2. Measure the DC voltage from the solar panel.
3. Measure the voltage every hour until 3:00 pm.
4. Analyze the data. What time of day had the highest voltage? Why? What time of day had the lowest voltage? Why?
5. You can conduct this experiment in two ways:
 - Keep the box in a fixed position, facing directly south, at the same angle the whole day (imitating a solar panel that is mounted on a fixed base).
 - Or, every hour, rotate the box to follow the sun, and for each measurement adjust the lid angle to the maximum output. (This imitates a solar panel that is mounted on a variable base).

Long Term Experiment:

1. Find a place for the solar box that will not be in the shade for the entire semester. Again, make sure the box is level and won't be bothered.
2. For each day, record the maximum voltage, the direction the box is pointed (north, south, etc.), the angle of the box lid, the date, the time of day, and the cloud cover on a scale of 0 – 5 (0 is no clouds, and 5 is maximum cloud cover).
3. Repeat the measurements at least once per week for the semester.
4. Analyze your data. How does it compare to the website with the sun-angle data? (<http://solardat.uoregon.edu/SunChartProgram.html>)


What is Solar energy? How does it work?

Every day, the sun sends out an enormous amount of energy. It radiates more energy in one second than the world has used since time began! This radiant energy, also known as Solar energy, is vital to us because it provides the world — directly or indirectly — with almost all of its energy. In addition to providing the energy that sustains the world, solar energy is stored in fossil fuels and biomass, and is responsible for powering the water cycle and producing wind!



The Greenhouse Effect

Solar energy comes from within the sun itself. Like other stars, the sun is a big ball of gases—mostly hydrogen and helium. The hydrogen atoms in the sun's core combine to form helium and radiant energy in a process called **nuclear fusion**. This process creates a large amount of radiant energy, which is emitted into space. Only a small portion of the energy radiated by the sun into space strikes the earth, one part in two billion. Yet this amount of energy is enormous. Every day, enough energy strikes the United States to supply the nation's energy needs for one and a half years!



NUCLEAR FUSION

Solar energy is considered a **renewable** energy source. Renewable sources of energy are resources that are continually renewed by nature, and hence will never run out. Solar power is considered renewable because the nuclear (fusion) reactions that power the sun are expected to keep generating sunlight for many billions of years to come.

Acknowledgement: Content and images on this page were developed by the NEED Project—www.need.org—with assistance from Robi Robichaud of the National Renewable Energy Laboratory

Solar Electricity and Photovoltaic Systems

This information comes from the NEED Project—www.need.org

Solar energy can also be used to make electricity. This is done largely through the use of photovoltaic (or PV) systems.

Photovoltaic comes from the words *photo* meaning *light* and *volt*, a measurement of electricity. Photovoltaic cells are often called solar cells. They convert light directly into electricity.

The **photovoltaic effect** is the basic physical process through which a PV cell converts sunlight directly into electricity. PV technology works any time the sun is shining, but more electricity is produced when the light is more intense and when it is striking the PV modules directly—when the rays of sunlight are perpendicular to the PV modules.




Photo Credit: Robb Williamson

Sunlight is composed of **photons**, or bundles of radiant energy. When photons strike a PV cell, they may be reflected or absorbed, or transmitted through the cell. Only the absorbed photons generate electricity. When the photons are absorbed, the energy of the photons is transferred to electrons in the atoms of the solar cell.

With their newfound energy, the electrons are able to escape from their normal positions associated with their atoms to become part of the current in an electrical circuit. By leaving their positions, the electrons cause holes to form in the atomic structure of the cell into which other electrons can move.

*Excited electrons flow through the silicon semiconductor from the N-Layer to the P-Layer. They flow out the negative terminal, through the circuit, and back to the positive terminal. When a **load** is attached, the electrons are forced to do work (i.e. light a bulb).*



Solar cells are usually made of two thin pieces of **silicon**, the substance that makes up sand and the second most common substance on earth.

Silicon is used because it is a **semiconductor**, or a solid that is in between a conductor and an insulator of electricity. One piece of silicon has a small amount of boron added to it, which gives it a tendency to attract electrons. It is called the **p-layer** because of its positive tendency. The other piece of silicon has a small amount of phosphorous added to it, giving it an excess of free electrons. This is called the **n-layer** because it has a tendency to give up negatively charged electrons. When the two pieces of silicon are placed together, some electrons from the n-layer flow to the p-layer and an electric field forms between the layers. The p-layer now has a negative charge and the n-layer has a positive charge.





<http://www.norcalblogs.com/watts/2006/12/>


When the PV cell is placed in the sun, the radiant energy energizes the free electrons. If a circuit is made connecting the layers, electrons flow from the n-layer through the wire to the p-layer. The PV cell is producing electricity—the flow of electrons. If a load such as a light bulb is placed along the wire, the electricity will do work as it flows.

Compared to other ways of producing electricity, PV systems are expensive. This is mainly because PV cells require silicon that is extremely pure. This level of purity makes the silicon expensive. However, despite the high cost, PV systems have many useful applications and their demand is growing rapidly.

PHOTOVOLTAIC CELL

- ⊕ proton
- ⊖ tightly-held electron
- free electron
- can accept an electron





For More Information...
Check out these great resources on Solar Energy

The NEED Project: www.need.org
<http://www.need.org/needpdf/PhotovoltaicsStudent.pdf>
<http://www.need.org/needpdf/ExploringSolarStudent.pdf>

The United States DOE—Office of Energy Efficiency and Renewable Energy:
<http://www1.eere.energy.gov/kids/roofus/>
<http://www1.eere.energy.gov/solar/photovoltaics.html>
<http://www1.eere.energy.gov/solar/animations.html>

<http://www.energyquest.ca.gov/story/chapter15.html>

<http://science.howstuffworks.com/solar-cell.htm>

<http://solardat.uoregon.edu/SunChartProgram.html>